

Distal Upper Extremity Surgical Management

Live Interactive Webinar Presented By
Jodi Gootkin, PT, MEd, CEAS
jodiemail@comcast.net

Copyright Jodi Gootkin 2019

1

Course Overview

- “Distal Upper Extremity Surgical Management” is a live (real-time) interactive webinar for rehabilitation professionals that examines surgical procedures to manage common orthopedic and neurologic pathologies of the distal upper extremity. This course includes a review of current literature relating to surgical procedures for nerves, tendons, ligaments, and bones of the forearm, wrist and hand.

2

Copyright Jodi Gootkin 2019

2

Course Rationale

- The purpose of this course is to provide an understanding of the current trends in surgical procedures to manage degenerative, traumatic and non-traumatic pathologies of forearm, wrist, and hand. The emphasis is comparative analysis of contemporary surgical techniques to restore distal upper extremity function through repair of nerves, tendons, ligaments, and bones.

3

Copyright Jodi Gootkin 2019

3

Goals and Objectives

1. List and identify common anatomical structures of the wrist and hand.
2. Distinguish neuropathy, degenerative, traumatic, and non-traumatic distal upper extremity pathologies.
3. Identify emerging surgical techniques for distal upper extremity pathologies.
4. Compare nerve decompression, nerve repair, nerve graft, and nerve transfer surgical procedures.
5. Identify the zones of flexor tendon repair and surgical repair techniques.
6. Describe fascia surgical techniques to manage conditions of the wrist and hand.
7. List surgical mechanisms of stabilization of forearm and carpal fractures.
8. Identify post-surgical complications during healing of distal upper extremity fractures.
9. Describe the surgical technique to manage thumb osteoarthritis.
10. Recognize common hand splints indicated to manage wrist and hand disorders.

4

Copyright Jodi Gootkin 2019

4

Disclaimer

- Application of concepts presented in this webinar is at the discretion of the individual participant in accordance with federal, state, and professional regulations.

5

Copyright Jodi Gootkin 2019

5

Course Outline and Schedule



3-hour live interactive webinar




Copyright Jodi Gootkin 2019

Topic	Time
Wrist and Hand Anatomy and Arthrokinematics	0:00-0:10
Surgical Technique and Anesthesia	0:11-0:15
Peripheral Nerve Injury	0:16-0:20
Nerve Repair, Graft, and Transfer	0:21-0:30
Compressive Neuropathy	0:31-0:35
Carpal Tunnel Release	0:36-0:50
Interactive Discussion of Clinical Applications	0:51-1:00
Ulnar Nerve Decompression	1:01-1:05
Decompressive Fasciotomy	1:06-1:10
Tendon Transfer	1:11-1:15
Flexor Tendon Repair	1:16-1:30
Trigger Finger and De Quervain's Tendon Release	1:31-1:40
Dupuytren's Fasciotomy and Fasciectomy	1:41-1:50
Interactive Discussion of Clinical Applications	1:51-2:00
Nerve, Fascia, and Tendon Rehab Considerations	2:01-2:05
Trapeziectomy	2:06-2:10
Distal Radius Fracture Stabilization	2:11-2:15
Scaphoid Fracture Stabilization	2:16-2:25
Perilunate Fracture Dislocation Management	2:26-2:30
Kienbock's Surgery	2:31-2:35
Casts and Splints	2:36-2:45
Adaptive Equipment	2:46-2:50
Interactive Discussion of Clinical Applications	2:51-3:00

6

How To Obtain CEUs For This Course

- ▶ After the live interactive webinar and prior to **11:59 pm TONIGHT** go to www.cheapceus.com 
- ▶ Complete the post test with score of at least 70%
 - ▶ May be retaken multiple times
- ▶ Submit online payment for course
- ▶ Print certificate
- ▶ **Course review and summary for post test at the end of the webinar.**

Consider This

Copyright Jodi Gootkin 2019

7

Distal Upper Extremity Anatomy

▶ Proximal to Distal

Humerus, Radius, Ulna	Elbow Joint	
Radius and Ulna	Radiocarpal Joint (Wrist)	Proximal and Distal Radioulnar Joints (PRUJ, DRUJ)
Carpals	Midcarpal Joint	Intercarpal Joints
Metacarpals	Metacarpal Phalangeal Joint (MCP)	
Phalanges	Proximal and Distal Interphalangeal Joint (PIP, DIP)	Thumb Interphalangeal Joint (IP)

Image: By LadyofHats/Mariana Ruiz Villarreal - Some of my sources: [1], Gray's Anatomy "Williams & Warwick", Atlas der Anatomie des Menschen "Sobotta", Anatomia del cuerpo humano "Tobiasch, Ebner, et al.", and a Latin print by "Jodiger-anatomie Götting". LadyofHats, Public Domain, et al.

8

8

Carpal Bones

- ▶ The 8 small bones are arranged into a proximal and distal row.
- ▶ Clockwise from Thumb:
 - ▶ Straight Line To Pinky, Here Comes The Thumb
- ▶ Counter clockwise from Pinky:
 - ▶ PTs Love Sundaes, Ten Toppings Can't Hurt

Hamate
Capitate
Trapezoid
Trapezium
Pisiform
Triquetrum
Lunate
Scaphoid
Palmar View Right Hand

Copyright Jodi Gootkin 2019

9

9

Normal Arthrokinematics

- ▶ Bony architecture and ligamentous stability allow the hand to sustain external loads and perform fine motor tasks.
- ▶ The wrist complex controls the length tension relationship of the extrinsic hand muscles.

10

10


Surgical Alteration of Biomechanics

- ▶ Surgical modifications to anatomical structures alters the geometry of the wrist and hand bones.
- ▶ Minor changes in joint congruency shift muscle-tendon paths resulting in altered biomechanics, force generation and post operative function.

Consider This


Copyright Jodi Gootkin 2019

11




12


12




13




14




15




16



17



18



19

Nerve Repair

- ▶ Sharp lacerations can sever nerves requiring fascicular matching of the proximal and distal segments.
- ▶ Direct repair is performed with end-to-end epineural microsutures.
- ▶ Caution is taken when approximating the nerve to avoid strangulated or loose nerve ends of the coaptation.

Rinker, B. D. (2018). Nerve Repair Manual: A Practical Approach to Injuries and Repair in the Brachial Plexus and Upper Extremity. *Annals of plastic surgery*, 80(1), e1.

Copyright Jodi Gootkin 2019

20

Nerve Graft

- ▶ A primary repair may not be possible if too much tension would be created or if there is a loss of nerve length not allowing the ends to approximate.

Autograft

- Provides original internal scaffolding
- Medial antebrachial cutaneous
- Radial sensory branch
- Dorsal ulnar cutaneous

Allograft

- Host axons and Schwann cells repopulate scaffold
- Decellularized to minimize immunogenic reactions

Houshyar, K. S., Momeni, A., Pyles, M. N., Cha, J. Y., Maan, Z. N., Duschner, D., ... & Schoonhoven, J. V. (2016). The role of current techniques and concepts in peripheral nerve repair. *Plastic surgery International*, 2016.

Copyright Jodi Gootkin 2019

21

Artificial Conduits

- ▶ Biologic or synthetic conduits are used to bridge the defect in the nerve to guide regeneration.
- ▶ Implants may be laced with support cells and nerve growth factor to enhance axon migration.

Arslanturk, D., Dursun, T., Yucel, D., Hascici, N., & Hascici, V. (2014). Peripheral nerve conduits: technology validate. *Medical devices (Auckland, N.Z.)*, 7, 405-424.

Copyright Jodi Gootkin 2019

22

Nerve Transfer

- ▶ A non-critical close proximity donor nerve is relocated to the recipient muscle or skin region to restore motor and/or sensory innervation.
- ▶ Slow regeneration rates and motor end plate degradation over time may preclude muscle recovery in larger motor nerve defects.

Motor

- Expendable donor from less important limb muscle
- Intrinsic hand function

Sensory

- Sacrifice donor sensory distribution
- Critical sensation for grasp

Grinnell, D., & Keating, C. P. (2014). Peripheral nerve reconstruction after injury: a review of clinical and experimental therapies. *BioMed research International*, 2014, 698256. doi:10.1155/2014/698256

Copyright Jodi Gootkin 2019

23

Nerves Used for Transfer

- ▶ Preference is to utilize a nerve that innervates a synergistic muscle and is in close proximity for tension free transfer.

Damaged	Lost	Transferred
Radial	Motor wrist, finger, thumb extension	Median from FDS, PL, FCR
Median	Sensory thumb and index	Ulnar Digital Branch
Ulnar	Hand intrinsic	Median Anterior Interosseous Branch

Copyright Jodi Gootkin 2019

24

Neuroma Complication

- ▶ Neuroma formation during healing can lead to sensory loss, neuropathic pain, or the need for revision surgery.
- ▶ The inflammatory reaction during healing and increased concentration of nerve growth factor leads to connective tissue hyperplasia.

25

Copyright Jodi Gootkin 2019

25

Nerve Repair, Grafting, Transfer Rehab

- ▶ Immobilization without tensioning the nerve site followed by gradual mobilization to prevent joint contracture.
- ▶ Hyperesthesia during healing is a positive indicator of regeneration.
 - ▶ In pediatrics manifests as biting
- ▶ Patient education on safety particularly related to hot and cold sensation.
- ▶ Alternating current electrical stimulation can be initiated once volitional twitch contraction is evident.

26

Copyright Jodi Gootkin 2019

26

Muscle Re-education

- ▶ Biofeedback may be helpful to facilitate cortical remapping for recruitment of muscle that received nerve transfer.
- ▶ Typically rehab progression
 - ▶ Phase 1 high frequency, low load activation
 - ▶ Phase 2 progression from assisted to active then resisted exercise

Opposite donor muscle

Opposite recipient muscle

Bilateral donor muscle

Bilateral recipient muscle

Donor muscle

Recipient muscle

Novak, C. B., & von der Heyde, R. L. (2015). Rehabilitation of the upper extremity following nerve and tendon reconstruction: when and how. *Seminars in plastic surgery*, 29(1), 73-80. doi:10.1055/s-0035-1544172

Copyright Jodi Gootkin 2019

27

Compressive Neuropathy

- ▶ Nerves pass through anatomic tunnels often along with tendons and vascular structures.
- ▶ Decreased nerve conduction can result from increased volume of contents or reduced size of the tunnel.
- ▶ When conservative management fails or space occupying lesions are identified surgery may be necessary.

Images Cropped
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4472350/

28

Copyright Jodi Gootkin 2019

28

Ganglion Cyst

- ▶ A ganglion cyst is a small fluid filled sac arising from an extension of the synovial joint capsule or inflamed tendon sheath.
- ▶ Patients may be asymptomatic or present with nerve compression weakness and/or sensory impairment.

29

Copyright Jodi Gootkin 2019

29

Ganglion Cyst Excision

- ▶ The cyst is removed along with a section of tissue near the tendon sheath or joint to minimize the risk of the cyst reforming.

30

Copyright Jodi Gootkin 2019

30

Carpal Tunnel Syndrome

- ▶ Entrapment of the median nerve occurs beneath the flexor retinaculum of the wrist resulting in weakness.
- ▶ Motor weakness of the hand intrinsic and thenar muscles limits grasp and pinch.
- ▶ Sensory impairment involves the palmar surface and dorsal nail bed of the thumb, index, middle, and radial side of ring finger.
- ▶ Surgery is indicated when conservative management fails to relieve persistent numbness and thenar wasting is evident.

31

Copyright Jodi Gootkin 2019

31

Carpal Tunnel Anatomy

- ▶ Tendons of the flexor digitorum profundus and superficialis along with the median nerve are encased in a synovial membrane.
- ▶ Subsynovial connective tissue is layered within the tunnel to minimize shear stress with hand motion.

32

Copyright Jodi Gootkin 2019

32

Carpal Tunnel Release (CTR)

- ▶ Open surgical decompression to divide the transverse carpal ligament increasing the space available for the median nerve and finger flexor tendons.
- ▶ Mini-open repair may provide earlier symptom relief and return to activity, but long-term outcomes compared to standard open release are inconclusive.

33

American Academy of Orthopaedic Surgeons. (2016). Management of carpal tunnel syndrome: evidence-based clinical practice guidelines. 2016.

Copyright Jodi Gootkin 2019

33

Endoscopic CTR

- ▶ Endoscopic release with small ports allows incision only of the tissue contributing to the compression.

34

American Academy of Orthopaedic Surgeons. (2016). Management of carpal tunnel syndrome: evidence-based clinical practice guidelines. 2016.

Copyright Jodi Gootkin 2019

34

Ultra Minimally Invasive CTR

- ▶ Emerging techniques incorporate ultrasound guiding to visualize structures with only one tiny incision for the knife.

35


Petrover, D., Silvera, J., De Baere, T., Vigan, M., & Hakimi, A. (2017). Percutaneous Ultrasound Guided Carpal Tunnel Release: Study Upon Clinical Efficacy and Safety. Cardiovascular and interventional radiology, 40(4), 568-575.

Copyright Jodi Gootkin 2019

35

Flexor Retinaculum Reconstruction

- ▶ Research varies regarding the benefit of flexor retinaculum reconstruction or lengthening.




American Academy of Orthopaedic Surgeons. (2016). Management of carpal tunnel syndrome: evidence-based clinical practice guidelines. 2016.
 Liu, S., Zhang, K., Li, J., & Fu, W. (2019). Carpal tunnel release with versus without flexor retinaculum reconstruction for carpal tunnel syndrome: a short- and long-term follow-up: A meta-analysis of randomized controlled trials. PloS one, 14(1), e0211369.
 Pavlidis, L., Chalkidis, B. E., Demiri, E., & Dimitriou, C. G. (2010). The effect of transverse carpal ligament lengthening on carpal tunnel volumetry: comparisons between four techniques. Annals of plastic surgery, 45(3), 480-484.

Copyright Jodi Gootkin 2019

36

CTR Sutures

- ▶ The initial tensile strength of absorbable sutures diminishes as they dissolve.
- ▶ Nylon sutures require manual removal as healing of the incision occurs.



37

Copyright Jodi Gootkin 2019

37

CTR Post Operative Splinting

- ▶ According to the AAOS, strong evidence indicates no enhancement of long-term outcomes with the use of post operative splinting.

American Academy of Orthopaedic Surgeons. (2016). Management of carpal tunnel syndrome: evidence-based clinical practice guidelines. 2016.

38

Copyright Jodi Gootkin 2019

38

CTR Complications

- ▶ Injury to palmar cutaneous or recurrent motor branch of median nerve
- ▶ Hypertrophic scarring
- ▶ Tendon adhesion
- ▶ Hematoma or infection
- ▶ Complex Regional Pain Syndrome (CRPS)
- ▶ Pillar Pain

39

Copyright Jodi Gootkin 2019

39

Post Operative Pain

- ▶ Assess patient to determine the specific location of pain at thenar and hypothenar muscle insertions on flexor retinaculum or directly along the incision.

P
A
I
N
E
D

Incision Pain

At incision site

Resolves in days to weeks

Pillar Pain

At ridge of trapezium, scaphoid tubercle, pisiform, or hook of hamate

May persist for several months

Copyright Jodi Gootkin 2019

40

Complex Regional Pain Syndrome (CRPS)

- ▶ Post-operative CRPS may result in pain levels significantly exceeding pre-operative pain.
- ▶ Monitor patients for signs including:
 - ▶ Allodynia
 - ▶ Burning pain
 - ▶ Edema
 - ▶ Trophic skin changes

41

Copyright Jodi Gootkin 2019

41

CTR Rehab

Day 2

Incision protection
Edema control
Tendon gliding
Thumb and digit IP blocked AROM

Active wrist ROM

Week 3

Nerve gliding
Scar massage and desensitization
Theraputty grip and pinch
Strengthening

42

Copyright Jodi Gootkin 2019

42

CTR Post-op Rehab Research

- ▶ Current research does not reflect a clear benefit of post-operative rehabilitation to improve outcomes.

Cohort	Interventions	Outcomes
2016 Cochrane Review	Splinting Exercise Cryotherapy Scar desensitization	Limited low quality evidence of benefit
2015 AAOS Guidelines	Supervised therapy	Moderate evidence no additional benefit

Peters, S, Page MJ, Copplesters MW, Ross M, Johnston V. (2016). Rehabilitation following carpal tunnel release. Cochrane Database of Systematic Reviews 2016, Issue 2. Art. No.: CD004158.
American Academy of Orthopaedic Surgeons. (2016). Management of carpal tunnel syndrome: evidence-based clinical practice guidelines. 2016.


43

Copyright Jodi Gootkin 2019

43

CTR Outcomes

- ▶ Smaller incisions result in better cosmetic results, lower pain rates, and faster return to work.



Rojas-Manaute, J. M., Capa-Grasa, A., Chana-Rodriguez, F., Perez-Mananes, R., Rodriguez-Maruri, G., Sanz-Ruiz, P., ... & Vazquez-Martin, J. (2016). Ultra-Minimally Invasive Ultrasound-Guided Carpal Tunnel Release: A Randomized Clinical Trial. *Journal of Ultrasound in Medicine*, 35(6), 1149-1157.


44

Copyright Jodi Gootkin 2019

44

CTR Sensory Outcomes

- ▶ The vast majority of patients experience improvement in sensation, but the extent varies.
 - ▶ The persistence of nocturnal awakening is infrequent.
 - ▶ Percentage improvement of numbness appears to diminish with advancing age.



Watchmaker, J. D., & Watchmaker, G. P. (2018). Independent variables affecting outcome of carpal tunnel release surgery. *HAND*, 13(3), 285-291.

45

45

CTR Return to Function




46

Copyright Jodi Gootkin 2019

46

Ulnar Nerve Compression Syndrome

- ▶ Traumatic, overuse or space occupying lesions result altered sensation of the ring and pinky finger combined with motor impairment.



47

Copyright Jodi Gootkin 2019

47

Cubital Tunnel Cyst

- ▶ Space occupying lesions or altered bone geometry from fracture can create compression of the ulnar nerve behind the medial epicondyle of the humerus.

48

Copyright Jodi Gootkin 2019

48

Ulnar Nerve Decompression

- Post traumatic skeletal deformity altering geometry of the cubital tunnel may require surgical decompression.

Decompression

- Fewer complications

Anterior Transposition

- New compression point risk

Medial Epicondylectomy

- Medial elbow destabilization risk

49

Copyright Jodi Gootkin 2019

49

Restoring Functional Fine Motor

- Tendon transfer from the thumb can restore the lateral prehension due to atrophy of index finger dorsal interossei muscle.

Bruner
Extensor Pollicis Brevis
Interphalangeal stability

Neviaser
Abductor Pollicis Longus
Requires tendon grafting

Nabuta, S., Sato, K., Kanazawa, K., Hatori, M., & Itoi, E. (2009). Effects of tendon transfer to restore index finger abduction for severe cubital tunnel syndrome. *Upsala Journal of medical sciences*, 114(2), 95-99. doi:10.1080/03009730802702602

50

Copyright Jodi Gootkin 2019

50

Guyon's Canal Cyst

- Surgical excision is required to restore motor function to hypothenar muscles and sensation to pinky and ring fingers.

51

Copyright Jodi Gootkin 2019

51

Guyon's Canal Decompression

- Variability in the motor and sensory branches of the ulnar nerve complicate surgery.

52

Copyright Jodi Gootkin 2019

52

Compartment Syndrome



- Altered hemodynamics of forearm and hand fascial compartments occurs from acute trauma or chronic overuse of forearm muscles.
- Post trauma patients must be monitored for the "6Ps"
 - Pain disproportionate to injury
 - Paresthesia
 - Pallor
 - Paralysis
 - Poikilothermia
 - Pulselessness

Consider This

53

Copyright Jodi Gootkin 2019

53

Decompressive Fasciotomy

- Incisions into the fascia relieve pressure to restore perfusion to nerves, muscles, and soft tissues to avoid severe ischemia requiring amputation.
- Surgical site is often left open for irrigation and debridement in the days following initial surgery.

54

Copyright Jodi Gootkin 2019

54

Volkmann's Contracture

- Muscle necrosis from tissue hypoxemia leading to contracture of the wrist and fingers is graded based on the Tsuge Classification.

Stage	Affected muscle	Treatment
Mild	Finger flexors	Splinting & tendon lengthening
Moderate	Wrist and finger flexors	Excision of necrotic tissue, neurolysis, tendon transfer
Severe	Wrist and finger flexors and extensors	


55

Copyright Jodi Gootkin 2019

55

Tendon Transfer

- Tendon transfer may be indicated to restore functional hand to use after nerve injury, rupture due to fracture, or necrosis.




Carl DJ, Habusta SF. Hand, Tendon Transfers. [Updated 2018 Oct 27]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2019 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499359/>

56

Copyright Jodi Gootkin 2019

56

Common Transfer Muscles



57

Copyright Jodi Gootkin 2019

57

Flexor Tendon Injury

- Traumatic closed or open injury lacerating **F D i p** tendons of the flexor digitorum profundus (FDP) and flexor digitorum superficialis (FDS).
- Camper's Chiasm is where the FDS splits into 2 segments allowing the FDP tendon to pass through to insert on distal phalanx.

F D i p
e e p

Consider This

58

Copyright Jodi Gootkin 2019

58

Zones of Injury

Zone I	Distal to the FDS insertion near tip of finger
Zone II	FDS insertion to distal palmar crease or MCP A1 pulley No Man's Land
Zone III	A1 pulley to carpal ligament in palm region
Zone IV	Carpal tunnel near wrist crease
Zone V	Proximal to carpal tunnel


59

Copyright Jodi Gootkin 2019

59

Tendon Healing

- Tendons receive vascular perfusion directly through vincula and through synovial sheath diffusion.
- Two pathways contribute to healing that progress is through inflammatory, fibroblastic, and remodeling phases.




60

Copyright Jodi Gootkin 2019

60

Flexor Tendon Repair

- ▶ The zone of injury and timing of the repair influence rehabilitation outcomes.



61

Flexor Tendon Primary Repair

Retrieve proximal and distal tendon ends



Core suture to secure proximal stump

Fritsch, A. M., & Chhabra, A. B. (2007). Secondary flexor tendon reconstruction, a review. *The Journal of hand surgery*, 32(9), 1436-1442.

62

Suture Techniques

- ▶ Multistrand techniques are suggested to complete the core suturing of the of the tendon ends.
- ▶ The goal is to provide strong gap resistance and fatigue strength.

Griffin, M., Hindocha, S., Jordan, D., Saleh, M., & Khan, W. (2012). An overview of the management of flexor tendon injuries. *The open orthopaedics journal*, 6, 28-35. doi:10.2174/1874325001206010028

63

Secondary Tendon Repair

- ▶ Reconstruction may be necessary when initial surgery is required to manage vascular or bony injuries, delayed presentation, or when primary repair has failed.
- ▶ Autogenous tendon graft
 - ▶ Palmaris longus
 - ▶ Plantaris
 - ▶ Extensor digitorum longus

64

Tendon Repair Splinting


- ▶ Immobilization maintains the repaired musculotendinous unit in a shortened position and prevents forceful contraction.
- ▶ Dorsal blocking splint
 - ▶ Wrist neutral to 40 degrees of flexion
 - ▶ MCP 50 to 70 degrees of flexion
 - ▶ IP extension
- ▶ Kleinert splint
 - ▶ Dorsal extension with rubber band traction
- ▶ Manchester short splint

Khor, W. S., Langer, M. F., Wong, R., Zhou, R., Peck, F., & Wong, J. K. (2016). Improving outcomes in tendon repair: a critical look at the evidence for flexor tendon repair and rehabilitation. *Plastic and reconstructive surgery*, 138(6), 1055e-1058e.

65

Flexor Tendon Repair Rehab

- ▶ Timing of active rehab considers multiple intrinsic and extrinsic factors related to the “work of flexion”.




Novak, Christine B. and Rebecca L von der Heyde. "Rehabilitation of the upper extremity following nerve and tendon reconstruction: when and how." *Seminars in plastic surgery* vol. 29,1 (2015): 73-80.

66

Flexor Tendon Rehab

- ▶ Follow the physician protocol.
- ▶ Initially no passive wrist extension or finger extension, active flexion of involved tendons.
- ▶ Tendon gliding of uninvolved fingers may be permitted.



67

Copyright Jodi Gootkin 2019

67

Controlled Mobilization

- ▶ Following specific active mobility protocols improves tendon healing biology, limits restrictive adhesions, and leads to increased tendon excursion.

- ▶ Duran
 - ▶ Passive finger flexion
- ▶ Kleinert
 - ▶ Passive flexion and active extension
- ▶ Early Active Motion (EAM)
 - ▶ Active flexion

Jha, B., Ross, M., & Peters, S. E. (2017). Rehabilitation following surgery for flexor tendon injuries of the hand. *The Cochrane database of systematic reviews*, 2017(1).

Yousef, J., & Anthony, S. (2018). *Flexor Tendon Injuries. Essentials of Hand Surgery*, 21.

68

Copyright Jodi Gootkin 2019

68

Complications

- ▶ Bowstringing
- ▶ Tendon adhesions
 - ▶ Tenolysis may be necessary
- ▶ Rupture
 - ▶ Edema and ROM considerations
- ▶ Quadriga
- ▶ Lumbrical plus finger
- ▶ Joint contracture


69

Copyright Jodi Gootkin 2019

69

Quadriga

- ▶ Inability to fully actively flex the finger adjacent to a finger with a previous FDP injury.




70

Copyright Jodi Gootkin 2019

70

Lumbrical Plus Finger




71

Copyright Jodi Gootkin 2019

71

Trigger Finger or Trigger Thumb

- ▶ Patients present with mechanical impingement "catching" of the finger locking in flexion.




72

Copyright Jodi Gootkin 2019

72

Finger Flexor Pulley System

- ▶ Fibrocartilagenous metaplasia of the A1 ligamentous pulley and stenosing tenosynovitis of the ring finger and thumb at the MCP joint.



73

Copyright Jodi Gootkin 2019

73

Trigger Finger or Thumb Release

- ▶ Through open or percutaneous technique the A1 pulley and tendon sheath at the MCP joint is freed of fibrotic restrictions allowing the swollen tendon to glide more easily.
- ▶ Active motion confirms release with modifications possible before incision closure.
- ▶ With ROM and strengthening caution with
 - ▶ Composite wrist/finger extension
 - ▶ Repetitive gripping

74

Copyright Jodi Gootkin 2019

74

De Quervain's Release

- ▶ Stenosing tenosynovitis of the abductor pollicis longus (APL) and extensor pollicis brevis (EPB) from repetitive thumb motions or grasping with ulnar deviation results in radial sided wrist pain.
- ▶ The presence of a septum between the tendons and multiple slips of the APL may contribute to fibrosis.
- ▶ Endoscopic or open procedure to release the first dorsal compartment retinaculum.

75

Copyright Jodi Gootkin 2019

75

De Quervain's Release Rehab

- ▶ The radial nerve superficial sensory branch can become inflamed or damaged during decompression surgery.
- ▶ Thumb spica splinting protects the surgical site.

76

Copyright Jodi Gootkin 2019

76

Dupuytren's Contracture

- ▶ Patients with a genetic predisposition develop progressive palmar fibromatosis leading to contracture of the ring and pinky finger MCP joints.

77

Copyright Jodi Gootkin 2019

77

Dupuytren's Surgical Procedures

Enzymatic Fasciotomy

Needle Aponeurotomy

Fasciectomy

- ▶ Recurrence defined as "more than 20 degrees of contracture recurrence in any treated joint at one year post-treatment compared to six weeks post-treatment."

Kan, H. J., Verrijp, F. W., Horius, S., van Nieuwenhoven, C. A., Dupuytren Delphi Group, B. Selles, R. W. (2017). Recurrence of Dupuytren's contracture: A consensus-based definition. *PLoS one*, 12(5), e0164849.

78

Copyright Jodi Gootkin 2019

78

Enzymatic Fasciotomy

- ▶ Xiaflex® is a purified microbial Collagenase Clostridium Histolyticum (CCH) that disrupts the Type I and III collagen bonds in the cords.
- ▶ Indications
 - ▶ 20*-100* MCP contracture
 - ▶ 20*-80* PIP contracture
 - ▶ 2 affected joints in the same hand


Xiaflex® <https://dupuytren-contraction.xiaflex.com/hcp/about-xiaflex/#stepThree>

79

Copyright Jodi Gootkin 2019

79

CCH Post-Injection Protocol



Xiaflex® Training Guide: <https://dupuytren-contraction.xiaflex.com/public/pdf/xiaflex-dc-managed-distribution-training-guide.pdf>
<https://dupuytren-contraction.xiaflex.com/patient/about-xiaflex/receiving-xiaflex/>

80

Copyright Jodi Gootkin 2019

80

CCH Injection Side Effects

- ▶ Monitor patient for signs of infection, nerve injury or allergic reaction.
- ▶ Some patients may experience skin tears that require bandaging.

81

Copyright Jodi Gootkin 2019

81

Needle Aponeurotomy (NA)

- ▶ Through multiple small puncture sites, a needle divides the contracted cords and septal paths between palmar aponeurosis and dermis.
- ▶ Active range of motion can begin the day of surgery.
- ▶ Custom nighttime splint worn at night for several months may improve outcomes.
- ▶ Avoid strenuous gripping for 1 week

Consider This


82

Copyright Jodi Gootkin 2019

82

Fasciectomy

- ▶ Fasciectomy is an invasive procedure with removal of some or all of the pathologic tissue and may be accompanied by skin grafting.



83

Copyright Jodi Gootkin 2019

83

Post Operative Fasciectomy

- ▶ Post operatively a soft dressing and splint is applied to maintain the finger in extension.
- ▶ When ROM begins avoid composite extension.
- ▶ Monitor patient for infection, neurapraxia, CRPS.

84

Copyright Jodi Gootkin 2019

84

Dupuytren's Outcomes

Procedure	Variables	Outcome
Collagenase Injection	Primary MCP and IP ROM reached 49% at <1yr and 58% at >1yr	Short and medium term satisfactory response. Long term uncertain.
Needle Fasciotomy	50-58% recurrence 9-25% complication	Similar complication to injection
Fasciectomy	12-39% recurrence 14-67% complication	More complications than needle but less recurrence

Sanjuan-Cerveró, R., Vazquez-Ferreiro, P., Gomez-Herrero, D., & Carrera-Hueso, F. J. (2017). Efficacy of collagenase clostridium histolyticum for dupuytren disease: a systematic review. *Revista Iberoamericana de Cirugía de la Mano*, 45(18), 470-488.
Chen, N. C., Srinivasan, R. C., Shauver, M. J., & Chung, K. C. (2011). A systematic review of outcomes of fasciotomy, aponeurotomy, and collagenase treatments for Dupuytren's contracture. *Hand*, 6(3), 250-255.

85

Copyright Jodi Gootkin 2019

85

Rehabilitation Considerations Nerve, Fascia and Tendon Surgery

- ▶ Initial Post-op
 - ▶ Splinting
 - ▶ Wound healing
 - ▶ Edema management
 - ▶ Joint protection
 - ▶ Pain management
 - ▶ Home exercise
- ▶ Later Rehab
 - ▶ Wean splinting
 - ▶ Scar mobility
 - ▶ Protected ROM
 - ▶ Progressive strengthening
 - ▶ Functional retraining

PROTOCOL


86

Copyright Jodi Gootkin 2019

86

Tendon Gliding Exercise

- ▶ Designed to maintain free gliding between the tendons of the flexor digitorum profundus (FDP) and flexor digitorum superficialis (FDS).



Consider This

87

Webb, M. A. (1987). Tendon gliding exercises. *American Journal of Occupational Therapy*, 41(3), 164-167. Copyright Jodi Gootkin 2019

87

Post Operative Complications

- ▶ Following wrist and hand surgery, patients must be monitored for digital thrombosis that can lead to ischemia.
 - ▶ Rule out Thoracic Outlet Syndrome, Raynaud's Disease, or excessive external compression
 - ▶ Skin inspection - color and epidermolysis
 - ▶ Assess capillary refill

88

Copyright Jodi Gootkin 2019

88

Wrist and Hand Joint Reconstruction

- ▶ Conservative treatment failure for osteoarthritis is defined as
 - ▶ 'not sufficiently effective in relieving pain'
- ▶ Unlike large joint replacement, hand surgery for osteoarthritis is focused on pain relief as opposed to functional improvement.

Kloppenborg, M., Kroon, F. P., Blanco, F. J., Doherty, M., Dziedzic, K. S., Greibrokk, E., ... & Maheu, E. (2019). 2018 update of the EULAR recommendations for the management of hand osteoarthritis. *Annals of the rheumatic diseases*, 78(1), 16-24.

89

Copyright Jodi Gootkin 2019

89

Basal Joint Arthritis

- ▶ The thumb carpometacarpal (CMC) joint possesses little stability from skeletal architecture relying on ligaments and muscles to allow the motion necessary for forceful grasp and fine pinch.
- ▶ Deterioration of the ligaments allow metacarpal translation on the trapezium with shear stress forces leading to cartilage degeneration.
- ▶ Trapeziectomy is the most common initial surgical intervention.

Consider This

90

Judd, A. L., Wells, A. P., Crisco, J. J., Hagert, E., Wolf, J. M., Glickel, S. Z., & Yao, J. (2013). The thumb carpometacarpal joint: anatomy, hormones, and biomechanics. *Instructional course lectures*, 62, 165-179.

Copyright Jodi Gootkin 2019

90

Trapeziectomy with Ligament Reconstruction And Tendon Interposition (LRTI)

- ▶ Removal of the trapezium.
- ▶ Flexor carpi radialis (FCR) insertion relocated to first metacarpal.
- ▶ Portion of tendon utilized to reconstruct anterior oblique ligament.
- ▶ Remaining “anchovy” is placed in space from excised trapezium.


Wajon, A., Vinycomb, T., Carr, E., Edmunds, I., & Ada, L. (2015). Surgery for thumb (trapezometacarpal joint) osteoarthritis. *Cochrane database of systematic reviews*, (2).

91

Copyright Jodi Gootkin 2019

91

Trapeziectomy Rehab



92

Copyright Jodi Gootkin 2019

92

Distal Radius Fracture


- ▶ Low energy trauma in older individuals or high force impact in younger individuals can lead to distal radius fracture.
- ▶ Physicians attempt to achieve an anatomic reduction in stabilizing fracture segments.
 - ▶ Inclination
 - ▶ Dorsal tilt
 - ▶ Radial length

93

Copyright Jodi Gootkin 2019

93

Volar Locking Plate



Saving, J., Enocson, A., Ponzer, S., & Navarro, C. M. (2019). External Fixation Versus Volar Locking Plate for Unstable Dorsally Displaced Distal Radius Fractures—A 3-Year Follow-Up of a Randomized Controlled Study. *The Journal of hand surgery*, 44(1), 16-23.

Calviyik, M., & Ipek, D. (2018). Use of Volar Locking Plate Versus Intramedullary Nailing for Fixation of Distal Radius Fractures: Retrospective Analysis of Clinical and Radiographic Outcomes. *Medical science monitor : international medical journal of experimental and clinical research*, 24, 602-613. doi:10.12659/msm.908762


Consider This

94

Copyright Jodi Gootkin 2019

94

Intramedullary Nail



Calviyik, M., & Ipek, D. (2018). Use of Volar Locking Plate Versus Intramedullary Nailing for Fixation of Distal Radius Fractures: A Retrospective Analysis of Clinical and Radiographic Outcomes. *Medical science monitor : international medical journal of experimental and clinical research*, 24, 602-613. doi:10.12659/msm.908762

Jurken, R. W., & Salinas, A. (2015). Defining the role of intramedullary nailing for fractures of the distal radius: a systematic review. *The bone & joint journal*, 97(10), 1370-1376.

Consider This

95

Copyright Jodi Gootkin 2019

95

External Fixation

- ▶ Potential complications include
 - ▶ Nerve palsy
 - ▶ Pin infection
 - ▶ Loss of fracture reduction

Saving, J., Enocson, A., Ponzer, S., & Navarro, C. M. (2019). External Fixation Versus Volar Locking Plate for Unstable Dorsally Displaced Distal Radius Fractures—A 3-Year Follow-Up of a Randomized Controlled Study. *The Journal of hand surgery*, 44(1), 18-26.


96

Copyright Jodi Gootkin 2019

96

Tight Cast Syndrome

- ▶ Closed reduction with casting is the prevailing method of management for distal radius fractures in pediatric cases.
- ▶ A poorly applied cast can result in swelling, pain, and potential progression to compartment syndrome and Volkmann's contracture.



Turgut, A., Erkuş, S., Koca, A., Payzner, L., Çiçek, A. O., & Kalenderler, Ö. (2018). Analysis of the factors causing tight cast syndrome after closed reduction and casting of pediatric distal radius fractures. *Acta orthopaedica et traumatologica turcica*, 52(5), 329-333.


97

Copyright Jodi Gootkin 2019

97

Scaphoid Fracture

- ▶ Healing is complicated by the tenuous blood supply of the scaphoid bone with proximal pole fractures at risk for delayed union, nonunion, avascular necrosis.



98

Copyright Jodi Gootkin 2019

98

Scaphoid Fracture Stabilization

- ▶ ORIF or percutaneous pins or headless screws are placed.
- ▶ Bone grafting may be incorporated to bridge the fracture defect.
- ▶ Dorsal approach may allow for more accurate placement but may risk injury to extensor pollicis longus, extensor indicis, and extensor digitorum to the index finger.


Copyright Jodi Gootkin 2019

99

99

Fracture Healing

- ▶ Scaphoid fracture healing occurs at a slower rate than other sites in the body.



Copyright Jodi Gootkin 2019

100

Scaphoid Fracture Rehab

- ▶ To diminish the risk of non-union, rehabilitation progressive slowly minimizing activities with vibration exposure and fall risk.




101

Copyright Jodi Gootkin 2019

101

Perilunate Fracture Dislocations


- ▶ Alignment of the lunate is critical for correct geometry of the carpal arcs necessary for hand function and stability.
- ▶ FOOSH injuries in extreme pronation and ulnar deviation hyperextended wrist results in combined fractures and dislocations of carpals.




Copyright Jodi Gootkin 2019

102


102




103




104




105



106



107



108

Casts and Splints

- ▶ Casts may be utilized to rigidly stabilize surgical repair sites.
- ▶ Splints utilized for post operative stabilization allow some expandability to accommodate swelling and visualization of the wound.
- ▶ Splints wearing schedule can be modified protect the wrist and hand as the patient regains functional use of the hand.

109

Copyright Jodi Gootkin 2019

109

Thumb Spica Splint

- ▶ Extends from just distal to the IP joint of the thumb to the mid forearm.
- ▶ Forearm neutral and wrist extended or neutral with thumb wineglass position and slight MCP and IP flexion.

110

Copyright Jodi Gootkin 2019

110

Volar Splint

- ▶ Volar splint begins in the palm at the MCP joints and extends to the forearm proximal to the elbow.
- ▶ Forearm and wrist in neutral or slight extension.

111

Copyright Jodi Gootkin 2019

111

Ulnar and Radial Gutter Splints

- ▶ Ulnar gutter the runs from the DIP or MCP of the pinky and ring finger along the ulnar aspect up to the mid-forearm.
- ▶ Radial gutter the runs from DIP or MCP of the index and middle finger along the radial aspect to mid-forearm.
- ▶ For both forearm neutral with slight wrist extension, MCP 50° flexion, PIP and DIP slight flexion.

112

Copyright Jodi Gootkin 2019

112

Sugar Tong Splint

- ▶ A U-shaped splint that runs from the dorsal aspect of the knuckles, around the elbow, along the volar forearm stopping at the MCP joints.
- ▶ Elbow flexion at 90 degrees, forearm neutral and wrist neutral or slight extension.

Consider This

113

Copyright Jodi Gootkin 2019

113

Adaptive Equipment

- ▶ Utilization of equipment to perform functional and work tasks can minimize unnecessary stress on joints and decrease musculoskeletal demands to execute the task.

External Pressure

Odd shaped objects
Slippery surfaces
Tightly fit objects
Small handles/objects
Cold objects

Internal Pressure

Extremes of range of motion
Excessive grip pressure
Sustained positions

114

Copyright Jodi Gootkin 2019

114

- Longer lever arm**
 - Decreases muscle power and torque requirements
- Larger surface area**
 - Use palm and proximal upper extremity force
- Increase circumference**
 - Allows use of larger joints and decrease force requirement
- Use alternative joints**
 - Eliminate workload on hands
- Add stability and decrease friction**
 - Reduced muscle power and endurance requirement

115
Copyright Jodi Gootkin 2019

115

Smoking and Healing

- Increased infection rates are noted in smokers following closed and open hand fractures.
- Electronic cigarettes have been shown to decrease hand microvascular circulation.

116
Copyright Jodi Gootkin 2019

116

Conclusion

- Research continues to explore innovative surgical techniques to restore hand kinematics and muscle function following injury.
- Understanding the complex hand anatomy will allow clinicians to understand physician protocols and apply rehabilitation techniques to restore functional hands use.

117
Copyright Jodi Gootkin 2019

117

- Which of the following changes resulting during hand surgical interventions does NOT impact biomechanics?
 - Altered hand geometry
 - Restoration of vascular supply
 - Shifted muscle-tendon paths
 - Joint congruency changes

118
Copyright Jodi Gootkin 2019

118

- How is WALANT surgery different than traditional surgery?
 - Higher cost
 - Surgical time is longer
 - No tourniquet is utilized
 - Warm arm compresses are applied

119
Copyright Jodi Gootkin 2019

119

- What surgical procedure relocates donor nerves to a target muscle or skin region to restore innervation?
 - Transfer
 - Decompression
 - Grafting
 - Repair

120
Copyright Jodi Gootkin 2019

120

4. Which of the following is NOT one of the “6P’s” when monitoring for a Compartment Syndrome?
- A. Poikilothermia
 - B. Paresthesia
 - C. Pallor
 - D. Pressure

121

Copyright Jodi Gootkin 2019

121

5. Zone I Flexor Tendon Repairs are performed on injuries located _____.
- A. Near the tip of the finger
 - B. Close to the metacarpal phalangeal joint
 - C. In the palm
 - D. Near the wrist crease

122

Copyright Jodi Gootkin 2019

122

6. Needle Aponeurotomy (microscopic punctures in the palmar fascia) is used to treat which condition?
- A. Carpal Tunnel Syndrome
 - B. Dupuytren’s Contracture
 - C. Scaphoid Necrosis
 - D. Trigger Finger

123

Copyright Jodi Gootkin 2019

123

7. Which of the following is NOT a position used in tendon gliding exercises?
- A. Table Top
 - B. Hook
 - C. Opposition
 - D. Straight Fist

124

Copyright Jodi Gootkin 2019

124

8. Trapeziectomy is performed on what joint?
- A. Thumb Carpometacarpal
 - B. Scapholunate
 - C. Distal Radioulnar
 - D. Interphalangeal

125

Copyright Jodi Gootkin 2019

125

9. A volar locking plate is utilized during open reduction internal fixation to stabilize a fracture of what bone?
- A. Lunate
 - B. Radius
 - C. Trapezium
 - D. Ulna

126

Copyright Jodi Gootkin 2019

126

10. What is the name of the U-shaped splint that runs from the dorsal aspect of the knuckles, around the elbow, along the volar forearm stopping at the MCP joints?

- A. Thumb Spica
- B. Ulnar Gutter
- C. Sugar Tong
- D. Radial Gutter

127

Copyright Jodi Gootkin 2019

References

- Al-Qattan, M. M., & Al-Kharfy, T. M. (2014). Median nerve to biceps nerve transfer to restore elbow flexion in obstetric brachial plexus palsy. *Bioled research international*, 2014.
- Altaf, W., Bhardwaj, P., Sabapathy, S.R., & Haseeb, B.A. (2018). A simple trick to excise the carpal bones during proximal row carpectomy. *Indian journal of plastic surgery : official publication of the Association of Plastic Surgeons of India*.
- Alva, D., Vijayaraghavan, J., Kotecha, A., & Pickard, S. (2008). Treatment of scaphoid nonunion with combined vascularized distal radius graft and iliac crest bone graft. *Techniques in hand & upper extremity surgery*, 12(3), 132-135.
- Amariz, G.A., Abreu, M.A., Veronesi, B.A., & Rezende, M.R. (2018). Arthroscopic Assessment of the Wrist with Kienbock's Disease. *Acta orthopaedica brasiliensia*.
- American Academy of Orthopaedic Surgeons. (2013). Appropriate Use Criteria for Treatment of Distal Radius Fractures. Rosemont, IL: American Academy of Orthopaedic Surgeons.
- American Academy of Orthopaedic Surgeons. (2016). Management of carpal tunnel syndrome: evidence-based clinical practice guidelines. 2016. Retrieved from: https://www.aaos.org/Uploads/Files/PreProduction/Quality/Guidelines_and_Reviews/guidelines/CTS2006C2_2_29_16.pdf
- Anderson, J. K. (2017). Treatment of scapholunate ligament injury: current concepts. *EFORT open reviews*, 2(9), 382-393.
- Arsantunali, D., Dursun, T., Yucel, D., Hasirci, N., & Hasirci, V. (2014). Peripheral nerve conduits: technology update. *Medical devices (Auckland, N.Z.)*, 7, 405-424. doi:10.2147/MDER.S59124
- Atroshi, I., Hofer, M., Larsson, G. U., & Rantanen, J. (2015). Extended follow-up of a randomized clinical trial of open vs endoscopic release surgery for carpal tunnel syndrome. *Jama*, 314(13), 1399-1401.
- Badia, A. (2008). Total joint arthroplasty for the arthritic thumb carpometacarpal joint. *Am J Orthop*, 37(8 Suppl 1), 4-7.
- Biehl, C., Braun, T., Thormann, U., Oda, A., Szalay, G., & Rehart, S. (2018). Radiocarpal fusion and midcarpal resection interposition arthroplasty: long-term results in severely destroyed rheumatoid wrists. *BMC musculoskeletal disorders*, 19(1), 286.
- Birklein, F., Oniell, D., & Schieth, T. (2015). Complex regional pain syndrome: An optimistic perspective. *Neurology*, 84(1), 89-96.
- Bruehl, S. (2015). Complex regional pain syndrome. *Bmj*, 351, h2730.
- Buchanan BK, Hughes J. Tennis Elbow (Lateral Epicondylitis) [Updated 2018 Oct 27]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2018 Jan. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK431092/>
- Callandro, P., La Torre, G., Padua, R., Calbiyik, M., & Ipek, D. (2018). Use of Volar Locking Plate Versus Intramedullary Nailing for Fixation of Distal Radius Fractures: A Retrospective Analysis of Clinical and Radiographic Outcomes. *Medical science monitor: International medical journal of experimental and clinical research*, 24, 602.
- Canadian Agency for Drugs and Technologies in Health. (2013). Needle Or Open Fasciotomy for Dupuytren's Contracture: A Review of the Comparative Efficacy, Safety, and Cost-effectiveness: an Update. Canadian Agency for Drugs and Technologies in Health.
- Cantero-Tellez R, Garcia-Orza S, Cuadros-Romero (2016) Physiotherapy and Occupational Therapy Evidence-based Intervention after Carpal Tunnel Release: Literature Review. *J Nov Physiother* 6:296

Copyright Jodi Gootkin 2019

127

128

Cha, J., Yark, B., & Tawfik, J. (2014). Forearm compartment syndrome. *Eplasty*, 14, 1-c10.

Cha, Y. (2018). Changes in the pressure distribution by wrist angle and hand position in a wrist splint. *Hand surgery & rehabilitation*, 37, 1, 38-42.

Chammas, M., Boretto, J., Burmann, L. M., Ramos, R. M., Neto, F. S., & Silva, J. B. (2014). Carpal tunnel syndrome-Part II (treatment). *Revista Brasileira de Ortopedia (English Edition)*, 49(5), 437-445.

Chandraprakasan, T., & Kumar, R. A. (2011). Acute compartment syndrome of forearm and hand. *Indian Journal of Plastic Surgery*, 44(2).

Chen, J., Wang, K., Katirji, F., & Chen, Z. (2014). A new modified Tigue suture for flexor tendon repairs: the biomechanical analysis and clinical application. *Journal of orthopaedic surgery and research*, 9, 136. doi:10.1186/s13018-014-0136-x

Chen, N. C., Srinivasan, R. C., Shauver, M. J., & Chung, K. C. (2011). A systematic review of outcomes of fasciotomy, aponeurotomy, and collagenase treatments for Dupuytren's contracture. *Hand*, 43(3), 250-255.

Chuang, M. Y., Huang, C. H., Lu, Y. C., & Shih, J. T. (2015). Arthroscopic partial trapezectomy and tendon interposition for thumb carpometacarpal arthritis. *Journal of orthopaedic surgery and research*, 10, 184. doi:10.1186/s13018-015-0329-y

Codding, J. L., Bhat, S. B., & Ilyas, A. M. (2017). An economic analysis of MAC versus WALANT: a trigger finger release surgery case study. *Hand*, 12(4), 348-351.

Compton, J., Owens, J., Day, M., & Caldwell, L. (2018). Systemic Review of Tendon Transfer Versus Nerve Transfer for the Restoration of Wrist Extension in Isolated Traumatic Radial Nerve Palsy. *JAOS Global Research & Reviews*, 2(4), e001.

Cunningham, D. J., Baumgartner, R. E., Federer, A. E., Richard, M. J., & Withani, S. K. (2019). Matched Cohort Study of Wound Healing Complications in Patients With and Without Diabetes Mellitus After Primary Open Carpal Tunnel Release. *Journal of Hand Surgery Global Online*, 1(1), 2-5.

Dahlin, L. B. (2008). Techniques of peripheral nerve repair. *Scandinavian Journal of Surgery*, 97(4), 310-316.

Degeorge, B., Coulomb, R., Kouyoumdjian, P., & Mares, O. (2018). Arthroscopic Dorsal Capsuloplasty in Scapholunate Tears EWAS 3: Preliminary Results after a Minimum Follow-up of 1 Year. *Journal of wrist surgery*, 7, 4, 324-330.

Degrel, I. (2016). Collagenase Treatment in Dupuytren's Contractures: A Review of the Current State Versus Future Needs. *Rheumatology and therapy*, 3(1), 43-51. doi:10.1007/s40744-016-0027-1

Deputat, P., Henry, B. M., Popieluzko, P., Roy, J., Mizia, E., Konopka, T., ... Walocha, J. A. (2017). Anatomical variability and histological structure of the ulnar nerve in the Guyon's canal. *Archives of orthopaedic and trauma surgery*, 137(2), 277-283. doi:10.1007/s00402-016-2614-4

Deskar, A., & Deskar, Z. (2017). SURGICAL TREATMENT AND REHABILITATION OF TRIGGER THUMB AND FINGER. *Central European Journal of Sport Sciences and Medicine*, 17(1), 61-66.

Elanor, J. I., DiDomenico, A., Giroux, M. F., Harris, P. G., & Danino, M. A. (2014). Intra-arterial Thrombolysis for Postoperative Digital Ischemia: A Case Report. *Eplasty*, 14, e26.

Eggo, F. M., Jarling, M. R., & Khan, A. Z. (2014). Compartment syndrome of the hand: beware of innocuous radius fractures. *Eplasty*, 14, e6-Ansari, M. T., Kizilci, P., & Rijal, L. (2013). Trans-scaphoid dislocation of the proximal row: a case report. *The Pan African medical journal*, 15, 16. doi:10.11604/pamj.2013.15.16.2161

Ethicon, Inc. (2005). Wound closure manual. Retrieved from http://www.spils.upenn.edu/surgery/Education/Facilities/maespy/Wound_Closure_Manual.pdf

Copyright Jodi Gootkin 2019

Faur-Martin, O., Martin Ferrero, M. A., Valverde Garcia, J. A., Zuli-Acosta, P., & Amigo-Llaires, L. (2014). The simonetta technique for carpal tunnel syndrome: Immediate postoperative evaluation and long-term comparative study.

Florian, H. J., Tamaoki, M. J., Lenza, M., dos Santos, J. B. G., Faloppa, F., & Carlos Bellotti, J. (2018). Surgery for trigger finger. *Cochrane Database of Systematic Reviews*, (2).

Novak, Christine B, and Rebecca L van der Heyde. "Rehabilitation of the upper extremity following nerve and tendon reconstruction: when and how." *Seminars in plastic surgery* vol. 29, 1 (2015): 73-80.

Fletcher, D. R., & McClintock, M. A. (2015). Single-stage flexor tendon grafting: refining the steps. *The Journal of hand surgery*, 40(7), 1452-1460.

Flures, L. P. (2011). Distal anterior interosseous nerve transfer to the deep ulnar nerve and end-to-side suture of the superficial ulnar nerve to the third common palmar digital nerve for treatment of high ulnar nerve injuries: experience in five cases. *Arquivos de neuro-psiquiatria*, 69(3), 519-524.

Fretlich, A. M., & Chhabra, A. B. (2007). Secondary flexor tendon reconstruction, a review. *The Journal of hand surgery*, 32(9), 1436-1442.

Gaspard, P., Kane, P. M., Pattitwar, D., Jacoby, S. M., & Osterman, A. L. (2016). Predicting revision following in situ ulnar nerve decompression for patients with idiopathic cubital tunnel syndrome. *The Journal of hand surgery*, 41(3), 427-435.

Giannini, F., & Padua, L. (2012). Treatment for ulnar neuropathy at the elbow. *Cochrane database of systematic reviews*, (7).

Giamoudis, P. V., Einhorn, T. A., & Marsh, D. (2007). Fracture healing: the diamond concept. *Injury*, 38, 53-56.

Gitto, S., Draghi, A. G., & Draghi, F. (2018). Sonography of Non-neoplastic Disorders of the Hand and Wrist Tendons. *Journal of ultrasound in medicine : official journal of the American Institute of Ultrasound in Medicine*, 37, 1, 51-68.

Griffin, M. F., Malahias, M., Hindocha, S., & Wasim, S. K. (2014). Suppl 1: peripheral nerve injury: principles for repair and regeneration. *The open orthopaedics journal*, 8, 199.

Griffin, M., Hindocha, S., Jordan, D., Saleh, M., & Khan, W. (2012). An overview of the management of flexor tendon injuries. *The open orthopaedics journal*, 6, 28-35. doi:10.2174/187432501206010028

Grisoli, D., & Keating, C. P. (2014). Peripheral nerve reconstruction after injury: a review of clinical and experimental techniques. *BioMed research international*, 2014, 498236. doi:10.1155/2014/498236

Gruska, D., Herr, R., Hely, H., Hofmann, P., Kitzscher, D., Hofmann, A., & Rommens, P. M. (2016). Impact of Different Screw Designs on Durability of Fracture Fixation: In Vitro Study with Cyclic Loading of Scaphoid Bones. *PloS one*, 11(1), e0145949. doi:10.1371/journal.pone.0145949

Gupta, P., Lenchik, L., Wuerzler, S. D., & Pacholke, D. A. (2015). High-resolution T2 MRI of the fingers: review of anatomy and common tendon and ligament injuries. *American Journal of Roentgenology*, 204(3), W314-W323. doi:10.1371/journal.pone.0145949

Kotwal, P. P., & Ansari, M. T. (2012). Zone 2 flexor tendon injuries: Venturing into the no man's land. *Indian journal of orthopaedics*, 46(6), 608-615. doi:10.4103/0019-513X104182

Patel, K. R., Tadrist, K. K., & Gonzalez, M. H. (2013). De Quervain's Disease. *Eplasty*, 13, 1-c2.

Karakaplan, M., Ertem, K., Canbay, A., Aslantürk, O., & Yoloğlu, S. (2019). One portal endoscopic release of the first extensor compartment in de Quervain's disease. *Acta orthopaedica et traumatologica turca*, 53(1), 40-44.

Copyright Jodi Gootkin 2019

129

130

Gupta, V., Rijal, L., & Jawed, A. (2013). Managing scaphoid fractures. How do we do it? *Journal of clinical orthopaedics and trauma*, 4(1), 3-10.

Handoll, H.G., Elliott, J., Theodor-Ejorff, Z., Hunter, J., Karantana, A. Interventions for treating wrist fractures in children. *Cochrane Database of Systematic Reviews* 2018, Issue 12. Art. No.: CD012470. DOI: 10.1002/14651858.CD012470.pub2.

Hilton, T. L., Chivers, D., Held, M., Solomons, M., & Maree, M. (2017). Clinical outcomes following reduction and pinning of lesser arc injuries without repair of the scapholunate interosseous ligament. *Sa Orthopaedic Journal*, 16(1), 59-64.

Ho, P. C., Tse, W. L., Wong, C. W. Y., & Hung, L. K. (2015). Advances in arthroscopic surgery of the wrist: from resection to reconstruction. *Med Fluimnensis*, 51(1), 52-89.

Houschyar, K. S., Momeni, A., Pyles, M. N., Cha, J. Y., Maan, Z. N., Duscher, D., ... & Schoonhoven, J. V. (2016). The role of current techniques and concepts in peripheral nerve repair. *Plastic surgery international*, 2016. http://nervewuust.edu/nd_transfer.php

Huang, Y. C., Hsu, C. J., Renn, J. H., Lin, K. C., Yang, S. W., Tarmg, Y. W., ... & Chen, C. Y. (2018). WALANT for distal radius fracture: open reduction with plating fixation via wide-awake local anesthesia with no tourniquet. *Journal of orthopaedic surgery and research*, 13(1), 195.

Israel, D., Delclaux, S., André, A., Aprédozzi, C., Rongières, M., Bonnevalle, P., & Mansat, P. (2016). Peri-lunate dislocation and fracture-dislocation of the wrist: Retrospective evaluation of 65 cases. *Orthopaedics & Traumatology: Surgery & Research*, 102(3), 351-355.

Jho, B., Ross, M., & Peters, S. E. (2017). Rehabilitation following surgery for flexor tendon injuries of the hand. *The Cochrane database of systematic reviews*, 2017(1).

Jordan, R. W., & Saithua, A. (2015). Defining the role of intramedullary nailing for fractures of the distal radius: a systematic review. *The bone & joint journal*, 97(10), 1370-1376.

Jordan, R. W., Lotfi, M., & Shyamalan, G. (2015). Simultaneous closed nature of flexor digitorum superficialis and flexor digitorum profundus tendons in the middle finger: a case report. *Case reports in plastic surgery & hand surgery*, 2(1), 1-3.

Kamali, R. M., & Behal, R. (2019). Clinical Case Redesign to Improve Value in Carpal Tunnel Syndrome: A Before-and-After Implementation Study. *The Journal of hand surgery*, 44(1), 1-8.

Kan, H. J., Verrijp, F. W., Horias, S., van Nieuwenhoven, C. A., Dupuytren Delphi Group, & Selles, R. W. (2017). Recurrence of Dupuytren's contracture: A consensus-based definition. *PloS one*, 12(5), e0164849.

Kanar, M., Armagan, R., Oc, Y., Sezer, H. B., & Eren, O. T. (2017). Treatment of unstable distal radius fractures with non-bridging external fixation. *Sigili Etil Hastaneli Tip Bülteni*, 51(2), 96.

Kara, A., Celik, H., Seker, A., Kilinc, E., Camur, S., & Utun, M. (2015). Surgical treatment of dorsal perilunate fracture-dislocations and prognostic factors. *International Journal of Surgery*, 24, 57-63.

Karakaplan, M. et al., (2018). One portal endoscopic release of the first extensor compartment in de Quervain's disease. *Acta Orthop Traumatol Turc*: <https://doi.org/10.1016/j.aot.2018.10.004>

Karamanos, E., Raktin, I., Dream, S., Siddiqui, A. Nerve transfer surgery for penetrating upper extremity injuries. *Perm J* 2018;22:17-156. DOI: <https://doi.org/10.7812/TPP-17-156>

Kavim, M., & Liss, F. E. (2018). Identifying and treating traumatic hand and wrist injuries. *Journal of the American Academy of PAs*, 31(7), 16-21.

Copyright Jodi Gootkin 2019

Kenyon, Robert M et al. "Traumatic Isolated Trapezium Dislocation without Fracture: A Case Report and Review of the Literature." *Case reports in orthopaedics* vol. 2016 (2016): 1798941. doi:10.1155/2016/1798941

Khor, W. S., Langer, M. F., Wong, R., Zhou, R., Peck, F., & Wong, J. K. (2016). Improving outcomes in tendon repair: a critical look at the evidence for flexor tendon repair and rehabilitation. *Plastic and reconstructive surgery*, 138(6), 1045e-1058e.

Kitay, A., & Wolfe, S. W. (2012). Scapholunate instability: current concepts in diagnosis and management. *The Journal of hand surgery*, 37(10), 2175-2196.

Kloppenborg, M., Kroon, F. P., Blanco, F. J., Doherty, M., Dziedzic, K. S., Greibrokk, E., ... & Mahieu, E. (2019). 2018 update of the EULAR recommendations for the management of hand osteoarthritis. *Annals of the rheumatic diseases*, 78(1), 16-24.

Kocheta, A., & Agrawal, Y. (2018). Landmark Technique for a Wrist Block. *JBJS essential surgical techniques*, 8, 1, e7.

Kozin, S. H. (2016). Nerve Repair Manual.

Kulifski, S., Gutkowska, O., Mizla, S., Martyniewicz, J., & Gosc, J. (2018). Dorsal and volar wrist ganglions: The results of surgical treatment. *Advances in clinical and experimental medicine : official organ Wrocław Medical University*.

Ladd, A. L., Weiss, A. P., Crisco, J. J., Hagert, E., Wolf, J. M., Glickel, S. Z., & Yao, J. (2013). The thumb carpometacarpal joint: anatomy, hormones, and biomechanics. *Instructional course lectures*, 62, 165-179.

Lai, S., Zhang, K., Li, J., & Fu, W. (2019). Carpal tunnel release with versus without flexor retinaculum reconstruction for carpal tunnel syndrome at short-and long-term follow-up-A meta-analysis of randomized controlled trials. *PloS one*, 14(1), e0211369.

Lalonde, D., Eaton, C., Anadijo, P., & Jupiter, J. (2015). Wide-awake hand and wrist surgery: a new horizon in outpatient surgery. *Instr Course Lect*, 64, 249-259.

Lameijer, C. M., Niezen, C. K., El Mounimi, M., & van der Sluis, C. K. (2018). Pain, impaired functioning, poor satisfaction and diminished health status eight years following perilunate (fracture) dislocations. *Disability and rehabilitation*, 1-8.

Lamou, M., Grassman, J. P., Betsch, M., Wild, M., Hakimi, M., Windolf, J., & Anglthuber, P. (2014). Systemic capillary leak syndrome associated with a rare abdominal and four-limb compartment syndrome: a case report. *Journal of medical case reports*, 8, 196. doi:10.1186/1752-1947-8-196

Lans, J., Liska, A., Chen, H. C., & Jupiter, J. B. (2018). Incidence and Functional Outcomes of Scapholunate Diastases Associated Distal Radius Fractures: A 2-year Follow-Up Scapholunate Dislocation. *The open orthopaedics journal*, 12, 33.

Lapègue, F., André, A., Meyrignac, O., Pasquier-Bernachot, E., Dupré, P., Brun, C., ... & Faruch, M. (2016). U-guiled percutaneous release of the trigger finger by using a 21-gauge needle: a prospective study of 60 cases. *Radiology*, 280(2), 493-499.

Lee, Y. K., Kang, H. H., Jung, Y. R., & Lee, J. Y. (2018). Surgical Treatment of Scapholunate Instability. *Archives of Hand and Microsurgery*, 23(3), 139-149.

Leskenen, D., Varasalo, M. (2018). Guyon Canal Syndrome. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2018 Jan. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK431063/>

Liu, X., Wu, W. D., Fang, Y. F., Zhang, M. C., & Huang, W. H. (2014). Biomechanical comparison of osteoporotic distal radius fractures fixed by distal locking screws with different length. *PloS one*, 9(7), e103371. doi:10.1371/journal.pone.0103371

Lluch, A. (2013). The sauvé-kapandji procedure. *Journal of wrist surgery*, 2(1), 033-040.

Loos, B., Puzichin, V., & Horch, R. E. (2007). 50 years experience with Dupuytren's contracture in the Erlangen University Hospital - a retrospective analysis of 2919 operated hands from 1956 to 2006. *BMC musculoskeletal disorders*, 8, 60. doi:10.1186/1471-2474-8-60

Copyright Jodi Gootkin 2019

Low, N., Fahy, E. T., Frisken, J., & Mann, N. (2015). An alternate graft for staged flexor tendon reconstruction. *Hand (New York, N.Y.)*, 10(1), 152-154. doi:10.1007/s11552-013-9889-3

Mattalo, K. S., Ilyas, A., & Thoder, J. J. (2007). CMC arthroplasty of the thumb: a review. *Hand*, 2(4), 232-239.

McCool, L., Klot, M., Guo, D., & Guo, D. (2017). A review of advances in carpal tunnel release.

Medrano, B. G., Aguado, H. J., Simón, C., & Ferrero, M. A. M. (2016). Ties and Tricks in Perilunate Carpal Fracture-Dislocations.

Mihashi, S. V., & Catalano III, L. W. (2019). Comparison of open and closed hand fractures and the effect of urgent operative intervention. *The Journal of hand surgery*, 44(1), 65-61.

Morrell, N. T., Moyer, A., Quinlan, N., & Shafritz, A. B. (2017). Scapholunate and perilunate injuries in the athlete. *Current reviews in musculoskeletal medicine*, 10(1), 45-52.

Muller, T., Diaz, J. H., Pire, E., Prunieres, G., Facca, S., & Livieneaux, P. (2017). Treatment of acute perilunate dislocations: ORIF versus proximal row carpectomy. *Orthopaedics & Traumatology: Surgery & Research*, 103(1), 95-99.

Nashan, A., Ishaq, B., Al-Khawarizmi, J., & Seoudi, W. I. (2008). Endoscopic Carpal Tunnel Release using a modified application technique of local anesthesia: safety and effectiveness. *Journal of brachial plexus and peripheral nerve injury*, 3, 11. doi:10.1186/1749-7221-3-11

Nichols, J. A., Bednar, M. S., & Murray, W. M. (2016). Surgical simulations based on limited quantitative data: understanding how musculoskeletal models can be used to predict moment arms and guide experimental design. *PLoS one*, 11(6), e0157346.

Nowack, P. C., Seetharaman, M., Danoff, J. R., Birman, M., & Rosenwasser, M. P. (2017). Arthroscopic Wrist Debridement and Radial Styloidectomy for Advanced Scapholunate Advanced Colic Wrist: Long-Term Follow-Up. *HAND*, 1558944717725383.

Nobuta, S., Sato, K., Kanazawa, K., Natori, M., & Itoi, E. (2009). Effects of tendon transfer to restore index finger abduction for severe cubital tunnel syndrome. *Upsala Journal of medical sciences*, 114(2), 95-99. doi:10.1080/03007730802702602

Nozzyk, B. H., Nowak, M., & Krzesniak, N. (2013). Use of the Accordion Severity Grading System for negative outcomes of carpal tunnel syndrome. *Journal of Plastic, Reconstructive & Aesthetic Surgery*, 66(8), 1123-1130.

Odeila, S., Quereghni, A.M., Locatelli, F., Dacatra, U., Creta, E., & Tos, P. (2018). Locking Dorsal Plate in Four-Bone Arthrodesis in SLAC and SNAC 3 Wrist. *Joints*, 7(1), 037-041.

Oh, W. T., Kang, H. J., Koh, J. H., Jang, J. Y., & Choi, Y. R. (2017). Morphologic change of nerve and symptom relief are similar after mini-incision and endoscopic carpal tunnel release: a randomized trial. *BMC musculoskeletal disorders*, 18(1), 65.

Oka, K., & Morimoto, H. (2018). Current Management of Scaphoid Nonunion Based on the Biomechanical Study. *Journal of wrist surgery*, 7, 2, 94-100.

Okamura, A., Guidetti, B. C., Caselli, R., Borracchi, J. A., MORAES, Y. D., & Bellotti, J. C. (2018). How do board-certified hand surgeons manage carpal tunnel syndrome? a national survey. *Acta orthopaedica brasileira*, 26(1), 48-53.

Olaughlin, S. J. (2010). Kienbock's disease. *Journal of Orthopaedic & Sports Physical Therapy*, 40(6), 376-376.

Osturf, M. B., Beist, S. O., Kayeblitz, T., Karahangul, M., & Akan, I. M. (2013). Atraumatic Flexor tendon retrieval- a simple method. *Annals of surgical innovation and research*, 7(1), 11. doi:10.1186/1750-1164-7-11

Owils, L., Chalidis, B. E., Demiri, E., & Dimitriou, C. G. (2010). The effects of transverse carpal ligament lengthening on carpal tunnel volumetry: a comparison between four techniques. *Annals of plastic surgery*, 65(5), 480-484.

Peters, S., Page MJ, Coppieters MW, Ross M, Johnston V. (2016). Rehabilitation following carpal tunnel release. *Cochrane Database of Systematic Reviews*, 16, Issue 2. Art. No.: CD004158. DOI: 10.1002/14651858.CD004158.pub3.

Peters, S. E., Jha, B., & Ross, M. (2017). Rehabilitation following surgery for flexor tendon injuries of the hand. *Cochrane Database of Systematic Reviews*, (1).

133

Seal, A., Tse, R., Wehrli, B., Hammond, A., & Temple, C. L. (2005). Sentinel node biopsy as an adjunct to limb salvage surgery for epithelioid sarcoma of the hand. *World Journal of surgical oncology*, 3, 41. doi:10.1186/1477-7819-3-41

Shah, D. S., Middleton, C., Gurdesi, S., Horvitz, M. D., & Kedgley, A. E. (2017). The effects of wrist motion and hand orientation on muscle forces: a physiologic wrist simulator study. *Journal of biomechanics*, 60, 223-227.

Shah, D. S., Middleton, C., Gurdesi, S., Horvitz, M. D., & Kedgley, A. E. (2018). The importance of abductor pollicis longus in wrist motions: A physiological wrist simulator study. *Journal of biomechanics*, 77, 218-222.

Shah, D.S., Middleton, C.A., Gurdesi, S., Horvitz, M.D., & Kedgley, A.E. (2018). Alterations to wrist tendon forces following flexor carpi radialis or ulnaris sacrifice: a cadaveric simulator study. *The Journal of hand surgery (European Volume)*, 43(8), 886-888.

Shariatzadeh, H., & Mohtai, M. M. (2017). Incidence of Complex Regional Pain Syndrome Following the Carpal Tunnel Release Surgery. *Shafa Orthopedic Journal*, 4(4).

Smart, K. M., Wand, B., & O'Connell, N. E. (2015). A Cochrane Systematic Review of physiotherapy for pain and disability in adults with Complex Regional Pain Syndrome (CRPS).

Stanton, T. R., Wand, B. M., Carr, D. B., Birkin, F., Wasner, G. L., & O'Connell, N. E. (2013). Local anaesthetic sympathetic blockade for complex regional pain syndrome. *Cochrane Database of Systematic Reviews*, (8).

Stromps, J. P., Eschweiler, J., Knobe, M., Rennekampff, H. O., Radermacher, K., & Pallua, N. (2018). Impact of scapholunate dissociation on human wrist kinematics. *Journal of Hand Surgery (European Volume)*, 43(2), 179-186.

Strudwick, K., McPhee, M., Bell, A., Martin-Khan, M., & Russell, T. (2018). Best practice management of closed hand and wrist injuries in the emergency department (part 5 of the musculoskeletal injuries rapid review series). *Emergency Medicine Australasia*.

Stuby FN, Diblee S, Schaffer S-D, Mueller S, Aleschrang A, Baumann M, et al. (2015) Early Functional Postoperative Therapy of Distal Radius Fracture with a Dynamic Orthosis: Results of a Prospective Randomized Cross-Over Comparative Study. *PLoS ONE* 10(3): e0117720. <https://doi.org/10.1371/journal.pone.0117720>

Suh, H., Ek, E. T., & Wolfe, S. W. (2014). Carpal fractures. *The Journal of hand surgery*, 39(4), 785-791.

Tam, L., & Chung, Y. Y. (2016). Needle aponeurotomy for Dupuytren's contracture: Effectiveness of postoperative night extension splinting. *Plastic Surgery*, 24(1), 23-26.

Tang, J. B. (2018). New developments are improving flexor tendon repair: Plastic and reconstructive surgery, 141(6), 1427-1437.

Taylor, D. C., Matson, A. P., Gibson, S. D., Glover, S., Bartis, J., Rich, D. S., & Richardson, W. J. (2018). Ulnar nerve transection in an orthopaedic surgeon sustained during surgery: a case report and commentary. *JBJS*, 100(1), e2.

Turgut, A., Erkuş, S., Koca, A., Payzın, L., Çiçek, A. O., & Kalender, Ö. (2018). Analysis of the factors causing tight cast syndrome after closed reduction and casting of pediatric distal radius fractures. *Acta orthopaedica et traumatologica turca*, 52(5), 129-133.

Vanaclocha-Vanaclocha, V., Ortiz-Crisado, J. M., Sáiz-Sápena, N., & Vanaclocha, N. (2017). Nerve Transfers in the Treatment of Peripheral Nerve Injuries. In *Peripheral Nerve Regeneration From Surgery to New Therapeutic Approaches Including Biomaterials and Cell-Based Therapies Development*. InTech.

Verdecchia, N.M., Johnson, J., Baratz, M., & Orebough, S. (2018). Neurologic complications in common wrist and hand surgical procedures. *Orthopedic reviews*, 10(1).

Vernieuwen, G. M., Sliger, H., Feltz, R., Hovius, S. E., Moellen, T. M., & Selles, R. W. (2011). Surgical management of primary thumb carpometacarpal osteoarthritis: a systematic review. *The Journal of hand surgery*, 36(1), 157-169.

Wade RG, Wormald JCR, Flugs A. (2018). Absorbable versus non-absorbable sutures for skin closure after carpal tunnel decompression surgery. *Cochrane Database of Systematic Reviews* 2018, Issue 2. Art. No.: CD011757. DOI: 10.1002/14651858.CD011757.pub2.

135

Peters, S., Johnston, V., Hines, S., Ross, M., & Coppieters, M. (2016). Prognostic factors for return-to-work following surgery for carpal tunnel syndrome: a systematic review. *JB database of systematic reviews and implementation reports*, 14(9), 135-216.

Phin, A. B., & Sobania, R. L. (2017). Perilunate carpal dislocation. Clinical evaluation of patients operated with reduction and percutaneous fixation without capsular-ligament repair. *Revista Brasileira de Ortopedia (English Edition)*, 52(4), 402-409.

Powell, M. J., Wordworth, M., Kwasnicki, R. M., Chadda, P., Hettiaratchy, S., & Halsey, T. (2018). The effect of electronic cigarettes on hand microcirculation. *The Journal of hand surgery*, 43(5), 432-438.

Rancy, S.K., Ek, E.T., Paul, S.K., Hotchkiss, R.N., & Wolfe, S.W. (2018). Nonspanning Total Wrist Arthrodesis with a Low-Profile Locking Plate. *Journal of wrist surgery*, 7, 2, 127-132.

Ray, W. Z., & Mackinnon, S. E. (2010). Management of nerve gaps: autografts, allografts, nerve transfers, and end-to-side neurotaphy. *Experimental neurology*, 223(1), 77.

Rhemrev, S. J., Dotes, D., Beeres, F. J., Meylaerts, S. A., & Schipper, I. B. (2011). Current methods of diagnosis and treatment of scaphoid fractures. *International journal of emergency medicine*, 4, 4. doi:10.1186/1186-1360-4-4.

Ridder, E.F., & Dekkers, T. (2018). The perioperative patient experience of hand and wrist surgical patients : An exploratory study using patient journey mapping. *Patient Experience Journal*, 5(3), 97-107.

Rinker, B. D. (2018). Nerve Repair Manual: A Practical Approach to Injuries and Repair in the Brachial Plexus and Upper Extremity. *Annals of plastic surgery*, 80(1), e1.

Rochlin, D. H., Shekter, C. C., & Curtin, C. M. (2019). Which Stitch? Replacing Anecdote with Evidence in Minor Hand Surgery. *Plastic and Reconstructive Surgery-Global Open*, 7(4), e2189.

Rojo-Manauate, J. M., Capa-Grasa, A., Chana-Rodriguez, F., Perez-Mahanes, R., Rodriguez-Maruri, G., Sanz-Ruiz, P., ... & Vaquero-Martin, J. (2016). Ultra-Minimally Invasive Ultrasound-Guided Carpal Tunnel Release: A Randomized Clinical Trial. *Journal of Ultrasound in Medicine*, 35(6), 1149-1157.

Recasi, S., Martins, M., Murtezani, A., Ibrahim-Kaciri, D., Haxhiu, B., & Zatriqi, V. (2014). Physical therapy and splinting after flexor tendon repair in zone II. *Medical Archives*, 68(2), 128.

Saini, N., Kundani, V., Patni, P., & Gupta, S. (2010). Outcome of early active mobilization after flexor tendons repair in zones II-V in hand. *Indian journal of orthopaedics*, 44(3), 314-321. doi:10.4103/0019-5413.65155

Sanjuan-Cervero, R., Vazquez-Ferreiro, P., Gomez-Herrero, D., & Carrera-Hueso, F. J. (2017). Efficacy of Collagenase Clostridium Histolyticum for Dupuytren Disease: A Systematic Review. *Revista Iberoamericana de Cirugia de la Mano*, 45(02), 070-088.

Sardenberg, T., Ribak, S., Colenci, R., Campos, R., Varanda, D., & Cortopassi, A. C. (2018). 488 hand surgeries with local anesthesia with epinephrine, without a tourniquet, without sedation, and without an anesthesiologist. *Revista brasileira de ortopedia (English Edition)*, 53(3), 281-286.

Saremi, K., Nakhmaneshi, E., & Rabiei, M. A. (2016). Percutaneous Release of Trigger Fingers: Comparing Multiple Digits with Single Digit Involvement. *The archives of bone and joint surgery*, 4(3), 224-227.

Saldana, M. J. (2001). Trigger digits: diagnosis and treatment. *JAOS: Journal of the American Academy of Orthopaedic Surgeons*, 9(4), 246-252.

Sassu, P., Libbrenchi, K., & Nilsson, A. (2015). Nerve transfers of the forearm and hand: a review of current indications. *Plastic and Aesthetic Research*, 2(4), 195-195.

Saving, J., Enocson, A., Ponzer, S., & Navarro, C. M. (2019). External Fixation Versus Volar Locking Plate for Unstable Dorsally Displaced Distal Radius Fractures: a 3-Year Follow-up of a Randomized Controlled Study. *The Journal of hand surgery*, 44(1), 18-26.

Sbai, M. A., Dabbous, S., Benzarti, S., Khechimi, M., Jenzari, A., & Maalla, R. (2015). Acute carpal tunnel syndrome of the hand following a cat bite. *The Pan African medical journal*, 21, 206. doi:10.11604/pamj.2015.21.206.7200

134

Wajon, A., Vinycomb, T., Carr, E., Edmunds, L., & Ada, L. (2015). Surgery for thumb (trapeziometacarpal joint) osteoarthritis. *Cochrane database of systematic reviews*, (2).

Wang, J., Lu, Y., Cui, Y., Wei, X., & Sun, J. (2018). Is volar locking plate superior to external fixation for distal radius fractures? A comprehensive meta-analysis. *Acta orthopaedica et traumatologica turca*, 52(5), 334-342.

Watchmaker, J. D., & Watchmaker, G. P. (2018). Independent variables affecting outcome of carpal tunnel release surgery. *HAND*, 13(3), 285-291.

Weiss, M. A. (1987). Tendon gliding exercises. *American Journal of Occupational Therapy*, 41(3), 164-167.

Hoppe, L. C., Lee, Y., Granick, M. S., & Scott, S. S. (2014). Digital store and forward imaging as a quality assessment tool for emergency plastic surgery consultations. *Eplasty*, 14, e1.

Weinberg, L., Spanger, M., Tan, C., & Nkafarjam, M. (2015). Postoperative wristwatch-induced compressive neuropathy of the hand: a case report. *Journal of medical case reports*, 9, 141. doi:10.1186/s13256-015-0625-3

Werner, F. W., & Short, W. H. (2018). Carpal Pronation and Supination Changes in the Unstable Wrist. *Journal of wrist surgery*, 7, 4, 298-302.

Wiseman, J., Tree, K., Gulo-Aguilar, P., Pratt, G., Nizzaro, D., Leung, M., & Leong, J. (2019). Collagenase Management of Multicord Dupuytren's Disease under Intravenous Sedation: A Prospective Cohort Study. *Plastic and Reconstructive Surgery Global Open*, 7(2).

Wolfe, S.W. (2013). 17 Distal Radius Fractures.

Wolfe, T., Chu, J. Y., Woods, T., & Lubahn, J. D. (2014). A systematic review of postoperative hand therapy management of basal joint arthritis. *Clinical orthopaedics and related research*, 472(4), 1190-1197. doi:10.1007/s11999-013-3285-2

Yang, T. H., Chen, H. C., Liu, Y. C., Shih, H. H., Kuo, L. C., Cha, S., ... Su, F. C. (2014). Clinical and pathological correlates of severity classifications in trigger fingers based on computer-aided image analysis. *Biomedical engineering online*, 13, 100. doi:10.1186/1475-925X-13-100

Yin, Y., Li, B., Yan, Q., Dai, H., Wang, X., Huang, J., & Li, S. (2015). Promotion of peripheral nerve regeneration and prevention of neuroma formation by PRGD-POLLA/B-TCP conduit: report of two cases. *Regenerative biomaterials*, 2(2), 119-124. doi:10.1093/rb/rbv006

Yousef, J., & Anthony, S. (2018). Flexor Tendon Injuries. *Essentials of Hand Surgery*, 21.

Zenghi, E. C., Ozcan, C., Aslan, C., Bulut, T., & Sener, M. (2018). Cast immobilization versus volar locking plate fixation of AO type C distal radial fractures in patients aged 60 years and older. *Acta orthopaedica et traumatologica turca*.

Zhang, P., Jia, B., Chen, X. K., Wang, Y., Huang, W., & Wang, T. B. (2018). Effects of surgical and nonoperative treatment on wrist function of patients with distal radius fracture. *Chinese Journal of Traumatology*, 21(1), 30-33.

Zuo, D., Zhou, Z., Wang, H., Liao, Y., Zheng, L., Hua, Y., & Cai, Z. (2015). Endoscopic versus open carpal tunnel release for idiopathic carpal tunnel syndrome: a meta-analysis of randomized controlled trials. *Journal of orthop*

136